## MATERIAL SAFETY DATA SHEET (SIMILAR TO OSHA FORM 174)

N.A.=Not Applicable Not Est.=Not Established Prop.=Proprietary

SECTION 1-MANUFACTURER/DISTRIBUTOR INFORMATION

Product Name: CENTURY Stain Resistant Floor Sealer

Product No. 5659

Supplier's Name: Dynasurf Corporation

Supplier's Address: 917 Noble Street, Philadelphia, PA 19123

Emergency Phone #: CHEM-TEL (800)-255-3924

HMIS Hazard Code: Health:1 Flammability:0 Reactivity:0 Other:N.A.

Chemical Name: Acrylic Polymer Emulsion

Chemical Family: Floor Sealer
Formula: N.A. Blended Product

D.O.T. Shipping Name: N/A Hazard Class: N/A D.O.T. ID#: N/A

**SECTION 2-HAZARDOUS INGREDIENTS** 

CHEMICAL NAME CAS NO. % Concentrate Range Hazard Ratings

(TLV/PEL) 6560 mg/kg

 2-(2-Butoxyethoxy) Ethanol
 112-34-5
 PROP.
 6560 mg

 2-(2-Methoxyethoxy) Ethanol
 111-77-3
 PROP.
 Not Est.

**SECTION 3-PHYSICAL DATA** 

Boiling Point (F): 212°F
Vapor Pressure: = To Water
Vapor Density: = To Water
Solubility In Water: Disperses

Appearance: White, Opaque Liquid
Odor: Characteristically acrylic

Specific Gravity: 1.03 Evaporation Rate: = To Water

**SECTION 4-FIRE AND EXPLOSION DATA** 

Flash Point (F): None to Boiling

Flammable Limits: N.A.

Unusual Fire & Explosion Hazards: Heated material may liberate toxic

fumes. Wear self contained breathing apparatus.

**SECTION 5-HEALTH HAZARD DATA** 

Route(s) of Entry: Inhalation:No Skin:Yes Ingestion:Yes

Threshold Limit Value: Not Est.

Effects of Overexposure: May cause skin and eye irritation. If ingested, may cause severe gastric distress and blockage.

Emergency & First Aid Procedures: For Eyes: Flush with water for at least fifteen minutes. If irritation persists get medical aid.

For Skin: Wash with soap and water. If Ingested: Induce vomiting. Get medical aid.

**Conditions Aggravated by Exposure: None** 

Listed Carcinogen, Mutagen, Teratogen (Ingredient, Source, Amount): None

**SECTION 6-REACTIVITY DATA** 

Stability: Stable Conditions to Avoid: None

Incompatibility: Strong Acids and Oxidizers
Hazardous Decomposition Products: Carbon Oxides and Acrylates

Hazardous Polymerization: Will not occur.

**SECTION 7-SPILL OR LEAK PROCEDURES** 

Steps to be taken if material is released or spilled:

Re-containerize by mopping, wet vacuum, or using a suitable absorbent. Rinse remaining material to drains. Be cautious of slippery floors.

Waste disposal method: Follow local, state, and federal regulations.

SECTION 8-SPECIAL PROTECTION INFORMATION

Respiratory Protection: Generally not required.

Ventilation: Local
Protective Gloves: Not required

Eye Protection: Safety glasses are recommended

Other Protective Equipment: None.

**SECTION 9-SPECIAL PRECAUTIONS** 

Precautions to be taken in handling and storage:

Store between 40° and 120° F.

Other Precautions: Keep out of reach of children. For sale to, use and storage by

service personnel only

The information contained in this MSDS was obtained from current and reliable sources, however the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of this company, it is not responsible for loss, injury and expense arising out of the product's improper use. No warranty, expressed or inferred, regarding the product described in this MSDS shall be created or inferred by any statement in this MSDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.

DATE PREPARED-05/02/05 By: G.C.



